

ARCHIVAL INDEX

CETACEAN POPULATION STUDIES, TOKYO, JAPAN

Volume 3, December 2021

- Kato, H., Fujise, Y., Nakamura, G., Hakamada, T., Pastene, L. A. and Best, P. B. Dwarf minke whales: Morphology, growth and life history based on samples collected from the higher latitudes in the Southern Hemisphere 93–128.
- Pastene, L. A., Goto, M., Taguchi, M. and Matsuoka, K. Genetic matches of southern right whales in the Indian sector of the Antarctic: A Contribution towards understanding their movement and site-fidelity 129–138.
- Ohashi, Y., Goto, M., Taguchi, M., Pastene, L. A. and Kitakado, T. Evaluation of a paternity method based on microsatellite DNA genotypes for estimating the abundance of Antarctic minke whales (*Balaenoptera bonaerensis*) in the Indo-Pacific region of the Antarctic 139–151.
- Taguchi, M., Goto, M., Milmann, L., Siciliano, S., Tiedemann, R. and Pastene, L. A. New insights into the genetic structure of sei whales (*Balaenoptera borealis*) at the inter-oceanic scale 152–163.
- Katsumata, T., Hirose, A., Nakajo, K., Shibata, C., Murata, H., Yamakoshi, T., Nakamura, G. and Kato, H. Evidence of winter migration of humpback whales to the Hachijo island, Izu Archipelago off the southern coast of Tokyo, Japan 164–174.
- Takahashi, M., Nakamura, G. and Kato, H. Growth-related changes in the cranium of killer whales in the western North Pacific 175–188.
- Lockyer, C. and Garrigue, C. Age estimation from teeth in Longman's beaked whales (*Indopacetus pacificus*) stranded in New Caledonia (South Pacific) 189–197.
- Isoda, T., Matsuoka, K., Tamura, T. and Pastene, L. A. Spatial and temporal distribution of floating marine macro debris in the Indo-Pacific region of the Antarctic 198–211.
- Nakamura, G., Zenitani, R., Bando, T., Fujise, Y., Yamamoto, R., Nishimura, F., Hirose, A., Kim, Y. and Kato, H. Skeletal measurements on some large cetacean species done by scientists of TUMSAT and ICR 215–230.
- Kim, Y., Nishimura, F., Bando, T., Fujise, Y., Nakamura, G., Murase, H. and Kato, H. Fetal development in tail flukes of the Antarctic minke whale 231–238.
- Bando, T. Improved estimates of some life-history parameters of the pelagic subspecies of Bryde's whale in the western North Pacific 239–245.
- Maeda, H. and Kato, H. Seasonal changes in the earplug germinal layers of North Pacific common minke whales 246–251.
- Matsuoka, K., Hakamada, T. and Miyashita, T. A note on recent surveys for right whales *Eubalaena japonica* in the western North Pacific 252–257.
- Diallo, S. T., Sane, A., Nelson, T., Katsumata, T. and Hakamada, T. Cetaceans off Gabon based on a 2011 sighting survey, with a preliminary density estimate of the humpback whale *Megaptera novaeangliae* 258–264.
- Sekiguchi, K. Historical Japanese whale sighting surveys in the Chukchi Sea 265–272.
- Katsumata, E., Naruse, S., Hosono, T. and Katsumata, H. Sexual dimorphism in the dorsal fin of Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) from coastal waters off Japan 273–280.
- Konishi, K. and Tamura, T. Preliminary use of near-infrared spectroscopy to estimate the biochemical components of the muscles of the Antarctic minke whale *Balaenoptera bonaerensis* 281–285.
- Isoda, T., Tamura, T. and Pastene, L. A. Ingestion of marine debris and evidence of entanglements involving Antarctic minke whales (*Balaenoptera bonaerensis*) sampled in the Indo-Pacific sector of

- the Antarctic 286–294.
- Akamatsu, T. A short review of acoustic monitoring of large whales in Japanese waters 297–300.
- Kaji, K. Impact of whale resource management research on sika deer management 301–304.
- Walløe, L. An analysis of Japanese whale killing data with special emphasis on the use of the electric lance as a secondary killing method 307–316.
- Miyazaki, N. Remembering Dr. Seiji Ohsumi: A dream for establishing a research center of marine mammals in the Indian Ocean 317–318.

Volume 2, June 2020

- Goto, M., Kitakado, T., and Pastene, L. A. A preliminary study of epigenetic estimation of age of the Antarctic minke whale *Balaenoptera bonaerensis* 5–14.
- Matsuoka, K., and Hakamada, T. Density distribution of several major whale species in the Indo-Pacific region of Antarctic using JARPA and JARPAII sighting data obtained through 1987/88–2008/09 seasons 15–38.
- Yasunaga, G., and Fujise Y. Concentration of persistent organic pollutants (POPs) in three species of baleen whales in the western North Pacific 39–53.

Volume 1, December 2018

- Kishihiro, T. Satellite tracking of coastal Bryde's whales *Balaenoptera edeni* along the southwest coast of Japan 3–13.
- Nakamura, G., Ryeng, K. A., Kadowaki, I., Hayashi, R., Nagatsuka, S., Hirose, A., Fujise, Y., and Haug, T. Comparison of shapes of the white flipper patch between two sub-species of common minke whales (*Balaenoptera acutorostrata*) 15–24.
- Hirose, A., Kishida, T., and Nakamura, G. Nasal mucosa resembling an olfactory system in the common minke whale (*Balaenoptera acutorostrata*) 25–28.