

ARCHIVAL INDEX

CETACEAN POPULATION STUDIES, TOKYO, JAPAN

Volume 2, June 2020

- Goto, M., Kitakado, T., and Pastene, L. A. A preliminary study of epigenetic estimation of age of the Antarctic minke whale *Balaenoptera bonaerensis* 5–14.
- Matsuoka, K., and Hakamada, T. Density distribution of several major whale species in the Indo-Pacific region of Antarctic using JARPA and JARPAII sighting data obtained through 1987/88–2008/09 seasons 15–38.
- Yasunaga, G., and Fujise Y. Concentration of persistent organic pollutants (POPs) in three species of baleen whales in the western North Pacific 39–53.

Volume 1, December 2018

- Kishiro, T. Satellite tracking of coastal Bryde's whales *Balaenoptera edeni* along the southwest coast of Japan 3–13.
- Nakamura, G., Ryeng, K. A., Kadowaki, I., Hayashi, R., Nagatsuka, S., Hirose, A., Fujise, Y., and Haug, T. Comparison of shapes of the white flipper patch between two sub-species of common minke whales (*Balaenoptera acutorostrata*) 15–24.
- Hirose, A., Kishida, T., and Nakamura, G. Nasal mucosa resembling an olfactory system in the common minke whale (*Balaenoptera acutorostrata*) 25–28.