

ARCHIVAL INDEX

CETACEAN POPULATION STUDIES, TOKYO, JAPAN

Volume 5, November 2025

- Kim, Y., Katsumata, T., Isoda, T. and Matsuoka, K. Rare sightings of the pygmy right whale (*Caperea marginata*) during the 2022/2023 JASS-A cruise in the Southwestern Pacific 7–18.
- Baird, A. B., Georges, M., Lokkesmoe, M., Shpak, O., Sheffield, G., George, J. C., Person, B., Sformo, T. L., De Sousa, L., Von Duyke, A. L., Scheimreiff, K., Olemaun, F. J., Frantz, R. and Stimmelmayer, R. Hiding in plain sight: molecular characterization of whale cyamids from bowhead whales (*Balaena mysticetus*) 19–32.
- Goto, M., Tamura, T., Bando, T. and Yasunaga, G. Genetically identified J-stock common minke whales: an overview of their biological and ecological features in waters around Japan 35–50.
- Kato, H., Kishiro, T., Bando, T., Ohata, K. and Tamai, K. Age and body length structure of a male sperm whale school stranded on the Ohura Coast, Kagoshima, Japan, in January 2002 53–59.

Volume 4, August 2023

- Murase, H., Matsuoka, K. and Watanabe, K. Effect of sea surface temperature on the distribution of common minke whales off southeastern Hokkaido, Japan, between 2002 and 2006, with notes on the formation of Pacific saury fishing grounds 7–18.
- Nakamura, G., Al-Zaidan, A., Behbehani, M. and Kato, H. Preliminary report on the cranial measurements of a Bryde's whale stranded in Failaka Island, Kuwait in 2014 21–26.
- Milmann, L., Cardoso, J., Francisco, A., Santos, F. P., Seminara, C., Abras, D. R., Marques, M. L., Hille, D. A., Lemos, L. S., Ruenes, G. F., Hauser-Davis, R. A. and Siciliano, S. Dwarf minke whale (*Balaenoptera acutorostrata* subsp.) interactions with vessels off the coast of Brazil 27–33.
- Katsumata, T., Isoda, T., Matsuno, K., Murase, H. and Matsuoka, K. Observation of fin whale (*Balaenoptera physalus*) feeding behavior in the austral summer Southern Hemisphere mid-latitudes 34–39.
- Inamori, D., Yoshioka, M. and Kato, H. Second occurrence of a dolphin with fin-shaped hind appendages from waters off Taiji, the Pacific Coast of Japan 43–44.
- Katsumata, T. and Yoshida, T. Development progress of a long-range vertical takeoff and landing UAV for the improvement of ship-based cetacean sighting surveys 45–47.

Volume 3, December 2021

- Kato, H., Fujise, Y., Nakamura, G., Hakamada, T., Pastene, L. A. and Best, P. B. Dwarf minke whales: Morphology, growth and life history based on samples collected from the higher latitudes in the Southern Hemisphere 93–128.
- Pastene, L. A., Goto, M., Taguchi, M. and Matsuoka, K. Genetic matches of southern right whales in the Indian sector of the Antarctic: A Contribution towards understanding their movement and site-fidelity 129–138.
- Ohashi, Y., Goto, M., Taguchi, M., Pastene, L. A. and Kitakado, T. Evaluation of a paternity method based on microsatellite DNA genotypes for estimating the abundance of Antarctic minke whales

- (*Balaenoptera bonaerensis*) in the Indo-Pacific region of the Antarctic 139–151.
- Taguchi, M., Goto, M., Milmann, L., Siciliano, S., Tiedemann, R. and Pastene, L. A. New insights into the genetic structure of sei whales (*Balaenoptera borealis*) at the inter-oceanic scale 152–163.
- Katsumata, T., Hirose, A., Nakajo, K., Shibata, C., Murata, H., Yamakoshi, T., Nakamura, G. and Kato, H. Evidence of winter migration of humpback whales to the Hachijo island, Izu Archipelago off the southern coast of Tokyo, Japan 164–174.
- Takahashi, M., Nakamura, G. and Kato, H. Growth-related changes in the cranium of killer whales in the western North Pacific 175–188.
- Lockyer, C. and Garrigue, C. Age estimation from teeth in Longman's beaked whales (*Indopacetus pacificus*) stranded in New Caledonia (South Pacific) 189–197.
- Isoda, T., Matsuoka, K., Tamura, T. and Pastene, L. A. Spatial and temporal distribution of floating marine macro debris in the Indo-Pacific region of the Antarctic 198–211.
- Nakamura, G., Zenitani, R., Bando, T., Fujise, Y., Yamamoto, R., Nishimura, F., Hirose, A., Kim, Y. and Kato, H. Skeletal measurements on some large cetacean species done by scientists of TUMSAT and ICR 215–230.
- Kim, Y., Nishimura, F., Bando, T., Fujise, Y., Nakamura, G., Murase, H. and Kato, H. Fetal development in tail flukes of the Antarctic minke whale 231–238.
- Bando, T. Improved estimates of some life-history parameters of the pelagic subspecies of Bryde's whale in the western North Pacific 239–245.
- Maeda, H. and Kato, H. Seasonal changes in the earplug germinal layers of North Pacific common minke whales 246–251.
- Matsuoka, K., Hakamada, T. and Miyashita, T. A note on recent surveys for right whales *Eubalaena japonica* in the western North Pacific 252–257.
- Diallo, S. T., Sane, A., Nelson, T., Katsumata, T. and Hakamada, T. Cetaceans off Gabon based on a 2011 sighting survey, with a preliminary density estimate of the humpback whale *Megaptera novaeangliae* 258–264.
- Sekiguchi, K. Historical Japanese whale sighting surveys in the Chukchi Sea 265–272.
- Katsumata, E., Naruse, S., Hosono, T. and Katsumata, H. Sexual dimorphism in the dorsal fin of Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) from coastal waters off Japan 273–280.
- Konishi, K. and Tamura, T. Preliminary use of near-infrared spectroscopy to estimate the biochemical components of the muscles of the Antarctic minke whale *Balaenoptera bonaerensis* 281–285.
- Isoda, T., Tamura, T. and Pastene, L. A. Ingestion of marine debris and evidence of entanglements involving Antarctic minke whales (*Balaenoptera bonaerensis*) sampled in the Indo-Pacific sector of the Antarctic 286–294.
- Akamatsu, T. A short review of acoustic monitoring of large whales in Japanese waters 297–300. Kaji, K. Impact of whale resource management research on sika deer management 301–304.
- Walløe, L. An analysis of Japanese whale killing data with special emphasis on the use of the electric lance as a secondary killing method 307–316.
- Miyazaki, N. Remembering Dr. Seiji Ohsumi: A dream for establishing a research center of marine mammals in the Indian Ocean 317–318.

Volume 2, June 2020

- Goto, M., Kitakado, T., and Pastene, L. A. A preliminary study of epigenetic estimation of age of the Antarctic minke whale *Balaenoptera bonaerensis* 5–14.
- Matsuoka, K., and Hakamada, T. Density distribution of several major whale species in the Indo-Pacific region of Antarctic using JARPA and JARPAII sighting data obtained through 1987/88–2008/09 seasons 15–38.
- Yasunaga, G., and Fujise Y. Concentration of persistent organic pollutants (POPs) in three species of baleen whales in the western North Pacific 39–53.

Volume 1, December 2018

- Kishiro, T. Satellite tracking of coastal Bryde's whales *Balaenoptera edeni* along the southwest coast of Japan 3–13.
- Nakamura, G., Ryeng, K. A., Kadowaki, I., Hayashi, R., Nagatsuka, S., Hirose, A., Fujise, Y., and Haug, T. Comparison of shapes of the white flipper patch between two sub-species of common minke whales (*Balaenoptera acutorostrata*) 15–24.
- Hirose, A., Kishida, T., and Nakamura, G. Nasal mucosa resembling an olfactory system in the common minke whale (*Balaenoptera acutorostrata*) 25–28.